

Tissue Factor Pathway (Extrinsic) with Common Pathway (Prothrombin Time)





CLOT-EDTM

Coagulation Lysis Or Thrombosis

An Educational Resource

Marlies Ledford-Kraemer,
MBA, BS, MT(ASCP)SH


How to Use These Slides

- On Adobe toolbar,    click down & choose “Fit Page” for correct viewing size
- Slide 3 provides you with a legend for all symbols used in the pathway slides that follow
- Slide 4 shows you the entire pathway to be featured in this series
- The remainder of the slides show you the pathway in sequential order so that you can follow each step in the process
 - Advance slides slowly to closely follow each addition
 - Advance slides quickly and you will be able to see a “cascading” effect

Legend

Symbol	Name
FXII	Factor XII
FXII _a	Activated FXII
HMWK	High Molecular Weight Kininogen
FXI	Factor XI
FXI _a	Activated FXI
FIX	Factor IX
FIX _a	Activated FIX
FVIII _a	Activated Factor VIII
FX	Factor X
FX _a	Activated FX
FV _a	Activated Factor V
TFPI	Tissue Factor Pathway Inhibitor

Symbol	Name
◆	Inhibits
→	“converts”, “gives rise to”, “yields”



Adapted from Broze, Semin Hematol 1992;29:159-69



Vessel
Injury

VII_a
TF





Vessel
Injury

IX

VII_a
TF

X







Vessel
Injury

IX


VII_a
TF


IX_a


X


X_a
V_a


Prothrombin














1



Vessel Injury

IX

IX_a

VII_a

TF

TFPI

X

X_a

V_a

Thrombin

XI

Prothrombin

Thrombin

Fibrinogen

FIBRIN

